



Note: Final light locations may be adjusted to account for field conditions.

Symbol	Qty	Label	Arrangement	Total Lamp Lumens	LLF	Description
⊕	25	BL	SINGLE	0.900	0.900	Loius Poulsen 5747402911
⊖	18	SL-5	SINGLE	3470	0.900	Loius Poulsen 5747921146 with black finish

Label	CalcType	Units	Avg	Max	Min	Avg/Min	Max/Min
Site	Illuminance	Fc	0.97	9.1	0.0	N.A.	N.A.
Walkway Building 1	Illuminance	Fc	1.32	1.6	1.0	1.32	1.60
Walkway Building 2	Illuminance	Fc	1.01	1.2	0.8	1.26	1.50
Walkway Building 2_1	Illuminance	Fc	1.83	6.9	0.4	4.58	17.25
Walkway Building 3A	Illuminance	Fc	1.50	1.5	1.5	1.00	1.00
Walkway Building 3A_1	Illuminance	Fc	1.40	1.5	1.3	1.08	1.15
Walkway Building 4	Illuminance	Fc	1.32	17.3	0.1	13.20	173.00
Walkway Building 4_1	Illuminance	Fc	1.12	1.2	1.0	1.12	1.20
Walkway Building 4_2	Illuminance	Fc	2.33	14.1	0.2	11.65	80.50
Walkway Building 5	Illuminance	Fc	1.57	1.7	1.3	1.21	1.31
Walkway Building 6	Illuminance	Fc	1.54	8.2	0.1	15.40	82.00
Walkway Building 7	Illuminance	Fc	2.25	11.1	0.1	22.50	111.00
Walkway Building 7_1	Illuminance	Fc	1.53	5.5	0.0	N.A.	N.A.
Walkway Building 8	Illuminance	Fc	2.11	12.0	0.2	10.55	60.00
Walkway Building 8_1	Illuminance	Fc	1.44	5.1	0.2	7.20	25.50
Walkway Building 9	Illuminance	Fc	2.91	12.4	0.7	4.16	17.71
Walkway Building_1	Illuminance	Fc	1.93	2.1	1.6	1.21	1.31

Project:
Dresser Woods

Contact:
David Mainville
Specification Sales
(860) 942-4357
dmainville@illuminate.com

Detail: Photometric Calculation
Date: 2/1/2024
Revision: ----
Scale: 1"=20'-0"
Drawn By: DM

Drawing Number:
SL-1
Sheet 1 of 1

illuminate
263 Winn Street
Burlington, MA 01803
(781) 935-8500
333 Pleasant Valley Road
South Windsor, CT 06074
(860) 282-0597